Clinical Perspective

Self-Assessment Test: Temporomandibular Joint

Peggy Larder

Linda Zambolin

Suggested Citation

Larder, P., & Zambolin, L. (1982). Self-Assessment Test: Temporomandibular Joint. *International Journal of Orofacial Myology*, 8(3), 17-21.

DOI: <https://doi.org/10.52010/ijom.1982.8.3.4>

This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](#).

The views expressed in this article are those of the authors and do not necessarily reflect the policies or positions of the International Association of Orofacial Myology (IAOM). Identification of specific products, programs, or equipment does not constitute or imply endorsement by the authors or the IAOM. The journal in which this article appears is hosted on [Digital Commons](#), an Elsevier platform.

Self-assessment test

Temporomandibular Joint

(For Answers see page 24)

PART A

1. On the above diagram match the labelled areas to the appropriate structures listed below:
 - a) Synovial cavity _____.
 - b) Pterygoid muscle _____.
 - c) Condyle head _____.
 - d) Temporomandibular ligament _____.
 - e) Articular disc _____.
 - f) Stylomandibular ligament _____.
2. Symmetrical movements of the mandible include:
 - a) Protrusive-retrusive
 - b) Lateral-protrusive
 - c) Opening-closing
 - d) A and C
 - e) A and B
 - f) All of the above
3. When the mandible at rest is moved to the patient's left, the right condyle is termed the:
 - a) contralateral condyle
 - b) ipsilateral condyle
 - c) non-working condyle
 - d) A and C
 - e) B and C
4. Which of the following could not be considered trigger factors in the diagnosis of TMJ (Myofascial pain dysfunction syndrome - MPD)?
 - a) stress
 - b) premature contact
 - c) muscle spasm
 - d) loss of posterior teeth
 - e) anterior overjet
 - f) all of the above could be considered trigger factors

5. Hypnosis, as a treatment modality for TMJ dysfunction, is effective in that it:
 - a) produces relaxation and relief from anxiety
 - b) is capable of reducing pain itself
 - c) is a complete treatment in itself
 - d) A and B
 - e) all of the above

PART B - TRUE OR FALSE

- _____ 6. Pain is always associated with TMJ dysfunction.
- _____ 7. Biofeedback has been successful in the treatment of TMJ dysfunction.
- _____ 8. TMJ dysfunction-pain syndrome usually occurs at random without a pattern of occurrence and with no relation to function.
- _____ 9. Complete denture patients do not suffer TMJ disorders.
- _____ 10. There is no need to exercise special procedures to minimize muscle and joint injury while performing dental treatment (including dental prophylaxis) in successfully treated TMJ patients.

Selected Bibliography:

- Kraus, B.S.; Jordan, R.E.; Abrams, L.; "Dental Anatomy and Occlusion". Baltimore, Maryland; The Williams and Wilkins, Co., 1969.
- Mikhail, Mongi and Rosen, Harry. "History and etiology of myofascial pain - dysfunction syndrome." The Journal of Prosthetic Dentistry, Vol. 44, No. 4: 838-444, 1980.

Peggy Larder, R.D.H., B.Sc.Ed., M.Sc.
Linda Zambolin, R.D.H., B.A.,
Assistant Professors
School of Dental Hygiene
Dalhousie University

News & Comments

Come to the Western Rap Session!

January 22 & 23, 1983

M.G.M. Grand Hotel
Reno, Nevada

For details contact Shari Giglio (916) 284-2360

AND REMEMBER

1983 I.A.O.M. Convention

June 25 - 27

Sheraton-Plaza Hotel, Chicago

Answer Key:

1. a - 1 & 3; b - 7, c - 4, d - 6, e - 2, f - 5; 2. d; 3. d;
4. e; 5. d; 6. F; 7. T; 8. F; 9. F; 10. F.

NOTICE!

All correspondence for Anita or R. H. Barrett should now be addressed to their home: 3850 West Ironwood Hill Drive, Tucson, AZ 85745, phone (602) 743-0634. Mail will also reach them if sent to the I.A.O.M. address: P. O. Box 50185, Tucson, AZ 85703. Their former office address is no longer appropriate.